IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number:

7.136.547

Issued:

November 14, 2006

Name of Patentee: GSI Group Corporation

Title of Invention: METHOD AND APPARATUS FOR BEAM DEFLECTION

Attention Certificate of Corrections Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE

- 1. Attached is Form PTO/SB/44, which is suitable for printing.
- 2. The exact page and line number where the errors are shown correctly in the application file are:
 - In Col. 8, line 45, please delete "fanned" and replace with "formed".
 - In Col. 18, line 59, please delete "of a common array" and replace with "or a common array".
- The Commissioner is authorized to charge Deposit Order Account No. 19-0079 for any fee that is required in connection with this Certificate of Correction.

4. Please send the Certificate to:

Name: William E. Hilton

Address: Gauthier & Connors, LLP

225 Franklin Street, Suite 2300

Boston, Massachusetts 02110

Reg. No.:35,192

SIGNATURE OF ATTORNEY

Tel. No.: (617) 426-9180

Extension 111

William E. Hilton Gauthier & Connors, LLP 225 Franklin Street, Suite 2300 Boston, MA 02110

Approved for use through 04/30/2007, OMB 0581-0/303

U.S. Patient and Theometric Office. U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Ask Form PTC-1090)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,136,547

APPLICATION NO.: 10/075,930

INVENTOR(S) : David C. Brown et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In Col. 8, line 45, please delete "fanned" and replace with "formed".

In Col. 18, line 59, please delete "of a common array" and replace with "or a common array".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Gauthier & Connors LLP

225 Franklin Street, Suite 2300

Boston, MA 02110

This collection of Information is required by 37 CFR 1.322, 1,323, and 1.324. The Information is required to obtain or retain a benefit by the public which is to file and by the USPTO to process) an application. Confidentially its governet by \$5 U.S. 0.12 and \$7 CFR 1.14. This collection is estimated to 1 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the Individual case. Any comments or the amount of time you require to complete is form and/or supposations for reducing its battering, should be sent to the Collection Comments of the amount of time you require to complete its form and/or supposations for reducing its battering, should be sent to the Collection Comments of the sent of the Collection Comments of the Collection of the Collection Co